
Spec Sheet

Leaded Common Mode Choke Coils for DC and Signal Lines

BU08RA11



Features

- Item Summary 1000 Ω , 1.1 uH, 4 A, ϕ 11.0x7mm
- Lifecycle Stage

Phaseout

Standard packaging quantity (minimum)
Bulk 200pcs

■ Products characteristics table

| No. of Lines | 2 |
|-------------------------------|--|
| Common Mode Impedance | 1000 Ω typ at 250MHz |
| Common Mode Inductance | 1.1 uH +0.2/-0.4uH |
| Case Size (mm) | 11.0x11.0 |
| DC Resistance (max) | 13 mΩ |
| Rated Current (max) | 4 A |
| Rated Voltage (max) | 50 V |
| Operating Temp. Range | -25 to +105 ℃ (Including-self-generated heat) |
| Insulation Resistance (min) | 100 ΜΩ |
| RoHS2 Compliance (10 subst.) | Yes |
| REACH Compliance (173 subst.) | Yes |
| Soldering | Wave |

■ External Dimensions

| Dimension B | Max φ11.0 mm |
|-------------|--------------|
| Dimension C | Max 7 mm |

The data is reference only. Electrical characteristics vary depending on environment or measurement condition. TAIYO YUDEN reserves the right to make change to the Date at any time without notice. Before making final selection, please check product specification.

