


NOTES:

- 1.0 ELECTRICAL SPECIFICATIONS:
 - 1.1 FREQUENCY RANGE: DC to 8.0 GHz
 - 1.2 MAXIMUM INPUT POWER: 2 WATT AVG. @ +25°C
DERATED LINEARLY TO 1 WATT @ +125°C
 - 1.3 TEMPERATURE RANGE:
 - OPERATING: -65°C to +125°C
 - STORAGE: -65°C to +125°C
 - 1.4 IMPEDANCE: 50 OHMS
 - 1.5 VSWR: 1.05 +0.008f(GHz) MAX.
 - 1.6 WEIGHT: 0.12 Oz. (3.4 GRAMS)

2.0 MARKING:
MARK UNIT AS SHOWN
(REF.: INK-02639-27-44)

3.0 DIMENSIONS IN PARENTHESIS ARE MILLIMETERS.



REV.	DESCRIPTION	DATE
-	RELEASED	1/20/94
-1	ADDED TITLEBLOCK	10/27/05

UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:	FSCM NO. 34078		MIDWEST MICROWAVE	
	3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: ±1°		NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Midwest Microwave	
		DRAWN/DATE M.HOLLMAN 1/11/94		ENG./DATE G.KOZAK 1/12/94
		CHECKED/DATE A.BEATTY 1/12/94		APPROVED/DATE
			TITLE TERMINATION	
			DRAWING NUMBER TRM-2058-MO-SMA-02	
			SCALE: 5=1	SHEET 1 of 1